## 研究業績 英文表記

和文	
表題	大腸菌における腸炎ビブリオトキシンの発現は染色体 DNA 分解をもたらす
著者名	
所属	
英文	
Title	Expression of a <i>Vibrio parahaemolyticus</i> toxin in <i>Escherichia coli</i> results in chromosomal DNA degradation.
Author	Jing Zhang <sup>1</sup> , Saki Taniguchi <sup>2</sup> , Hironori Ito <sup>3</sup> , Kazuhiro Iiyama <sup>4</sup> , Madoka Hino <sup>5</sup> , Tsutomu Katayama <sup>2</sup> , Makoto Kimura <sup>1,3</sup>
Affiliation	1 Laboratory of Structural Biology, Graduate School of Systems Life Sciences, 2 Department of Molecular Biology, Graduate School of Pharmaceutical Sciences, Kyushu University, 3 Laboratory of Biochemistry, Department of Bioscience and Biotechnology, Graduate School, Faculty of Agriculture, Kyushu University, 4 Institute of Biological Control, Faculty of Agriculture, Kyushu University, 5 Department of Health and Nutrition Sciences, Faculty of Health and Social Welfare Science, Nishikyushu University
Abstract	A toxin-antitoxin system, $vp1842/vp1843$ , locates within a superintegron on the <i>Vibrio parahaemolytiycus</i> genome chromosome I whose toxin gene $vp1843$ encodes a DNA nicking endonuclease. We found that the $vp1843$ expression in <i>Escherichia coli</i> cells strongly induced chromosomal DNA degradation. On the basis of these observations, we discuss a possible physiological role of $vp1842/vp1843$ in <i>V. parahaemolyticus</i> .
keyword	chromosomal DNA degradation, toxin-antitoxin, Vibrio parahaemolyticus

<sup>※</sup>本データの英文表記は実際の論文上の表記とは異なります。