

研究業績 英文表記

和文	
表題	COVID-19 による認知機能障害および心身機能障害の回復に対するハンドケアセラピーと五感刺激を意識した庭園散策の有効性
著者名	小浦誠吾、池田明子、藤岡康彦ら
所属	西九州大学リハビリテーション学部リハビリテーション学科 ソフィア・フィットセラピーカレッジ, ふじおか病院、(福)莞爾会
英文	
Title	Effectiveness of Hand Care Therapy and Garden Walks That Are Conscious of the Stimulation of the Five Senses for Recovery of Cognitive and Mental and Physical Dysfunction Caused by COVID-19
Author	Seigo Koura, Akiko Ikeda, Risa Semba, Megumi Ito, Kazuho Nagao, Kentaro Higashi, Yusuke Kumura, Hiroki Yokota, Shinya Matsutani, Yasuhiko Fujioka
Affiliation	Faculty of Rehabilitation, Nishikyusyu University, Kanzaki City, Japan. Sophia Phyto-Therapy College, Tokyo, Japan.
Abstract	In our past study, the hand care therapy that used natural herb oil demonstrated the effectiveness for elderly people. In this study, we examined influences on psychological condition of the side to treatment on. On the evaluation with question paper, baseline of POMS factor and TMD average were similar to pre-HCT. In post-HCT, T-A, A-H, F and C which were negative factors decreased than pre significantly. The forward factor V did not have significant difference, but the mean increased. Furthermore, the TMD (total mood distance) score generally decreased and changed in the balance of good feelings. On the objective evaluation, temporal change differences in the PNS (Parasympathetic Nervous System) during the relaxed state and following the induced stress state were monitored using ECG (electrocardiograph). The SNS (Sympathetic Nervous System) of students in HCT has decreased, and the PNS was confirmed to increase. For the tendency in SNS, the changes during the HCT were small. There were no significant changes in rSO ₂ (regional oxygen saturation) by HCT. BVI (blood volume information) showed significantly big values at left hand treatment and after HCT than BL, indicating that peripheral circulation of the blood flow quantity of the student increased. Generally, it was shown that the subjective emotional evaluation of the hand care treatment side, the objective autonomic nervous system change, and the coronal blood flow were all good. In Japan, the global pandemic of COVID-19 disrupts human interaction, and there are concerns about physical, cognitive, and mental deterioration. The use of hand care therapy has been shown to be an effective technique for building quality communication for both recipients and performers.
keyword	Hand Care Therapy , Para-Sympathetic Nervous System (PNS) , Sympathetic Nervous System (SNS) , Emotional Health , COVID-19

※本データの英文表記は実際の論文上の表記とは異なります。